




广州先越宝仑电子科技有限公司

Adsmart Technology Ltd.

广州市番禺区番禺大道北555号番禺节能科技园天安总部中心15号楼408
Rm.408, Building 15, Headquarters Center, Tian An Hi-Tech Ecological Park,
No.555, Panyu Avenue N. , Panyu District, Guangzhou, China
Tel: 020-39218917-828 Fax: 020-3921-8997
<http://www.adsmart.com.cn>

AST8J12E-MU Weather module for mirror

产品外观/Appearance



1. Weather forecast
2. Wi-Fi icon
3. Outdoor humidity and temperature
4. Indoor humidity and temperature
5. Weekday
6. Date
7. Time
8. 12/24 hour format
9. Real time temperature range

产品特性/Product Features

1. 7.3-inch LED display



广州先越宝仑电子科技有限公司

Adsmart Technology Ltd.

广州市番禺区番禺大道北555号番禺节能科技园天安总部中心15号楼408
Rm.408, Building 15, Headquarters Center, Tian An Hi-Tech Ecological Park,
No.555, Panyu Avenue N. , Panyu District, Guangzhou, China
Tel: 020-39218917-828 Fax: 020-3921-8997
<http://www.adsmart.com.cn>

2. Wi-Fi network to get accurate time and date
3. Wi-Fi receives real-time weather forecast (weather conditions, temperature and humidity, temperature range)
4. Indoor temperature detection
5. Today and tomorrow weather forecast display (optional)
6. LED brightness is adjustable
7. LED night mode
8. Firmware upgrade function
9. WiseMirror APP intelligent control.

产品参数/Product Parameters

Working voltage: DC 12V/24V

Display: 7.3-inch LED display

The maximum power of the whole machine: 6W

Shell size: 98 × 72 × 10mm

操作方式/Operation Method

After power-on, it displays for two seconds and then enter the intelligent network configuration mode;

Press and hold the SET button for 2 seconds or plug in the power supply 3 times: enter the smart configuration mode, you can use the APP to connect to the Wi-Fi router;

Press and hold the SET button for 4 seconds or plug in the power supply 6 times: enter the compatible configuration mode, you can use the APP to



广州先越宝仑电子科技有限公司

Adsmart Technology Ltd.

广州市番禺区番禺大道北555号番禺节能科技园天安总部中心15号楼408
Rm.408, Building 15, Headquarters Center, Tian An Hi-Tech Ecological Park,
No.555, Panyu Avenue N. , Panyu District, Guangzhou, China
Tel: 020-39218917-828 Fax: 020-3921-8997
<http://www.adsmart.com.cn>

connect to the Wi-Fi router;

Press the SET button for more than 2 seconds on any network configuration interface to switch between the configuration modes.

APP说明/Application Note

This module is equipped with WiseMirror APP to easily configure the mirror weather module, such as connecting a WiFi router, setting local area and temperature unit settings, and viewing the real-time temperature in the room on the WiseMirror APP.



For IOS



Google Play



For mainland
China users

安装说明/Installation Notes

1. Draw an area on the mercury side of the mirror. The size of the area is based on the size of the module. The mercury in the area is removed, and the display content is removed from the part where the mercury is removed.
2. When installing the module, you can draw a center crosshair in the mercury area. There are four protruding corners on the module shell to help align the crosshairs. After the alignment, the display content of the module on the front of the mirror will not be skewed.



广州先越宝仑电子科技有限公司

Adsmart Technology Ltd.

广州市番禺区番禺大道北555号番禺节能科技园天安总部中心15号楼408
Rm.408,Building 15,Headquarters Center,Tian An Hi-Tech Ecological Park,
No.555,Panyu Avenue N. , Panyu District, Guangzhou, China
Tel: 020-39218917-828 Fax: 020-3921-8997
<http://www.adsmart.com.cn>

3. After attaching the module, you can view the display from the front, and then glue the fixing around the module.

产品视图/Product View

